

# ACADEMY MERIT



Recycled Content

Light Reflectance

Intelligibility

ACADEMY MERIT	BOARD	TEGULAR	MICROLOOK
	 Prelude XL <sup>2</sup> /TLX 24 mm	 Prelude XL <sup>2</sup> /TLX 24 mm	 Prelude XL <sup>2</sup> /TL 15 mm
600 x 600 x 14 mm	2534 M	2536 M	2537 M
600 x 1200 x 14 mm	2538 M		



EN ISO 354 &  
EN ISO 11654


$\alpha_w$	NRC	125	250	500	1000	2000	4000	Hz
<b>0.60(H)</b>	0.60	0.45	0.35	0.55	0.70	0.75	0.70	$\alpha_p$

Sound Absorption Class = C



EN ISO 10848-2  
/ EN 20140-9  
& EN ISO 717-1

<b>Dncw</b>
<b>32 dB</b>



EN 13501-1

EEA Euroclass A2-s1, d0

UK Class 0/Class 1 (BS 476)



EN 12667  
& ISO 8301

$\lambda = 0.052 - 0.057$  W/m K



95 % RH



$\approx 3.2$  kg/m<sup>2</sup>



Printed in E.C. on chlorine free paper from sustainable resources.

Armstrong Building Products

PX1105



Please contact our Internal Technical Sales Group for further details.

**United Kingdom**  
**Republic of Ireland**  
Armstrong World Industries Ltd.  
Building Products Division  
Armstrong House  
38 Market Square  
Uxbridge UB8 1NG  
Tel: 0800 371849 (UK) **FREEPHONE**  
Tel: 1800 409002 (ROI)  
Fax: 00 44 (0) 1895 274287  
sales-support@armstrong.com

[www.armstrong-ceiling.co.uk](http://www.armstrong-ceiling.co.uk)

